

| L Number | Hits | Search Text | DB | Time stamp |
|----------|---------|---|--------------------|---------------------|
| - | 1985 | 345/87.ccls. | USPAT; EPO; JPO | 2003/09/09 07:53 |
| - | 282 | 345/87.ccls. and image adj display | USPAT; EPO; JPO | 2003/09/07 15:29 |
| - | 3 | 345/87.ccls. and image adj display and motionless | USPAT; EPO; JPO | 2003/09/07 15:31 |
| - | 0 | 345/87.ccls. and image adj display and motionless and auto-adjusting and light and system | USPAT; EPO; JPO | 2003/09/07 15:32 |
| - | 3 | 345/87.ccls. and image adj display and motionless and light and system | USPAT; EPO; JPO | 2003/09/07 15:34 |
| - | 0 | 345/87.ccls. and image adj display and motionless and light adj control | USPAT; EPO; JPO | 2003/09/07 15:35 |
| - | 3 | 345/87.ccls. and image adj display and motionless and light and control | USPAT; EPO; JPO | 2003/09/07 15:35 |
| - | 3 | 345/87.ccls. and image adj display and motionless and light and control and system | USPAT; EPO; JPO | 2003/09/08 10:57 |
| - | 0 | auto-adjusting adj light | USPAT; EPO; JPO | 2003/09/07 15:55 |
| - | 0 | auto adj adjust\$4 adj light | USPAT; EPO; JPO | 2003/09/07 15:56 |
| - | 1506148 | light | USPAT; EPO; JPO | 2003/09/07 15:56 |
| - | 65 | light and auto-adjust\$4 | USPAT; EPO; JPO | 2003/09/09 07:55 |
| - | 60 | light and auto-adjust\$4 and system | USPAT; EPO; JPO | 2003/09/07 15:56 |
| - | 0 | light and auto-adjust\$4 and system and image adj motionless | USPAT; EPO; JPO | 2003/09/07 15:57 |
| - | 0 | light and auto-adjust\$4 and system and image and motionless | USPAT; EPO; JPO | 2003/09/07 15:57 |
| - | 15 | light and auto-adjust\$4 and system and image and motion\$4 and display | USPAT; EPO; JPO | 2003/09/07 15:58 |
| - | 14 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 | USPAT; EPO; JPO | 2003/09/07 15:58 |
| - | 14 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 | USPAT; EPO; JPO | 2003/09/07 15:58 |
| - | 14 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 | USPAT; EPO; JPO | 2003/09/07 15:59 |
| - | 14 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value | USPAT; EPO; JPO | 2003/09/07 15:59 |
| - | 7 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 | USPAT; EPO; JPO | 2003/09/07 16:00 |
| - | 7 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 | USPAT; EPO; JPO | 2003/09/07 16:00 |
| - | 7 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background | USPAT; EPO; JPO | 2003/09/07 16:00 |
| - | 7 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 | USPAT; EPO; JPO | 2003/09/07 16:01 |

| | | | | |
|---|----|---|--------------------|---------------------|
| - | 7 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 | USPAT; EPO; JPO | 2003/09/07 16:01 |
| - | 7 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 | USPAT; EPO; JPO | 2003/09/07 16:01 |
| - | 7 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback | USPAT; EPO; JPO | 2003/09/07 16:02 |
| - | 7 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order | USPAT; EPO; JPO | 2003/09/07 16:02 |
| - | 7 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4 | USPAT; EPO; JPO | 2003/09/07 16:03 |
| - | 7 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4 and voltage\$1 | USPAT; EPO; JPO | 2003/09/07 16:03 |
| - | 7 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4 and voltage\$1 and output | USPAT; EPO; JPO | 2003/09/07 16:03 |
| - | 7 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4 and voltage\$1 and output and contrast | USPAT; EPO; JPO | 2003/09/07 16:04 |
| - | 7 | light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4 and voltage\$1 and output and contrast and bright\$4 | USPAT; EPO; JPO | 2003/09/07 16:04 |
| - | 26 | light and auto-adjust\$4 and system and image | USPAT; EPO; JPO | 2003/09/08 09:38 |

| | | | | |
|---|-----|--|--------------------|---------------------|
| - | 15 | light and auto-adjust\$4 and system and image and environment | USPAT; EPO; JPO | 2003/09/08 11:12 |
| - | 0 | light and auto-adjust\$4 and system and image and environment and backlighting | USPAT; EPO; JPO | 2003/09/08 09:38 |
| - | 0 | light and auto-adjust\$4 and system and image and environment and back adj lighting | USPAT; EPO; JPO | 2003/09/08 09:38 |
| - | 15 | light and auto-adjust\$4 and system and image and environment and back and lighting | USPAT; EPO; JPO | 2003/09/08 12:37 |
| - | 3 | 345/87.ccls. and image adj display and motionless and back and light and control and system | USPAT; EPO; JPO | 2003/09/09 11:17 |
| - | 1 | 345/87.ccls. and image adj display and motionless and back and light and control and system and environment | USPAT; EPO; JPO | 2003/09/08 09:41 |
| - | 0 | image adj display and motionless and back adj light\$4 and control and system and environment | USPAT; EPO; JPO | 2003/09/08 09:51 |
| - | 175 | image adj display and back adj light\$4 and control and system and environment | USPAT; EPO; JPO | 2003/09/08 09:51 |
| - | 96 | image adj display and back adj light\$4 and control and system and environment and LCD | USPAT; EPO; JPO | 2003/09/08 09:52 |
| - | 41 | image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 | USPAT; EPO; JPO | 2003/09/08 09:53 |
| - | 0 | image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and bistable | USPAT; EPO; JPO | 2003/09/08 09:52 |
| - | 0 | image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and bi-stable | USPAT; EPO; JPO | 2003/09/08 09:52 |
| - | 41 | image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 | USPAT; EPO; JPO | 2003/09/08 09:53 |
| - | 20 | image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 | USPAT; EPO; JPO | 2003/09/08 10:17 |
| - | 18 | image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter | USPAT; EPO; JPO | 2003/09/09 08:55 |
| - | 3 | electrophoretic and image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter | USPAT; EPO; JPO | 2003/09/08 10:58 |
| - | 0 | light and auto-adjust\$4 and electrophoretic and image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter | USPAT; EPO; JPO | 2003/09/08 11:13 |
| - | 14 | light and auto-adjust\$4 and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter | USPAT; EPO; JPO | 2003/09/08 11:13 |
| - | 14 | light and auto-adjust\$4 and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and image adj display | USPAT; EPO; JPO | 2003/09/08 11:13 |
| - | 0 | light and auto-adjust\$4 and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and image adj display and electrophoretic | USPAT; EPO; JPO | 2003/09/08 11:13 |
| - | 0 | light and auto-adjust\$4 and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and image adj display and bi-stable | USPAT; EPO; JPO | 2003/09/08 11:14 |

| | | | | |
|---|--------|---|--------------------|---------------------|
| - | 14 | light and auto-adjust\$4 and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and image adj display | USPAT; EPO; JPO | 2003/09/08 11:15 |
| - | 14 | liquid adj crystal adj display and auto-adjust\$4 and back adj light\$4 and control and system and environment and Motion\$4 and transduc\$4 and inverter and image adj display | USPAT; EPO; JPO | 2003/09/08 11:16 |
| - | 14 | liquid adj crystal adj display and auto-adjust\$4 and back adj light\$4 and control and system and environment and Motion\$4 and inverter and image adj display | USPAT; EPO; JPO | 2003/09/08 11:17 |
| - | 14 | liquid adj crystal adj display and auto-adjust\$4 and back adj light\$4 and environment and Motion\$4 and inverter and image adj display | USPAT; EPO; JPO | 2003/09/08 11:17 |
| - | 14 | liquid adj crystal adj display and auto-adjust\$4 and back adj light\$4 and Motion\$4 and inverter and image adj display | USPAT; EPO; JPO | 2003/09/08 11:17 |
| - | 14 | liquid adj crystal adj display and auto-adjust\$4 and back adj light\$4 and Motion\$4 and inverter | USPAT; EPO; JPO | 2003/09/08 11:18 |
| - | 106963 | liquid adj crystal adj display | USPAT; EPO; JPO | 2003/09/08 11:18 |
| - | 5505 | liquid adj crystal adj display and back adj light\$4 | USPAT; EPO; JPO | 2003/09/08 11:18 |
| - | 2663 | liquid adj crystal adj display and back adj light\$4 and control | USPAT; EPO; JPO | 2003/09/08 11:18 |
| - | 140 | liquid adj crystal adj display and back adj light\$4 and control and transduc\$5 | USPAT; EPO; JPO | 2003/09/08 11:19 |
| - | 59 | liquid adj crystal adj display and back adj light\$4 and control and transduc\$5 and inverter | USPAT; EPO; JPO | 2003/09/08 11:19 |
| - | 3 | liquid adj crystal adj display and back adj light\$4 and control and transduc\$5 and inverter and feed adj back | USPAT; EPO; JPO | 2003/09/09 07:52 |
| - | 0 | liquid adj crystal adj display and back adj light\$4 and control and transduc\$5 and inverter and feed adj back and environment | USPAT; EPO; JPO | 2003/09/08 11:24 |
| - | 0 | liquid adj crystal adj display and back adj light\$4 and control and inverter and feed adj back and environment | USPAT; EPO; JPO | 2003/09/08 11:24 |
| - | 0 | liquid adj crystal adj display and back adj light\$4 and control and inverter and feed adj back and external adj light\$4 | USPAT; EPO; JPO | 2003/09/08 11:25 |
| - | 2 | liquid adj crystal adj display and back adj light\$4 and control and inverter and feed adj back and external and light\$4 | USPAT; EPO; JPO | 2003/09/08 11:25 |
| - | 0 | liquid adj crystal adj display and back adj light\$4 and control and transduc\$5 and inverter and feed adj back and auto-adjust\$4 | USPAT; EPO; JPO | 2003/09/08 11:28 |
| - | 15 | liquid adj crystal adj display and back adj light\$4 and auto-adjust\$4 | USPAT; EPO; JPO | 2003/09/08 11:28 |
| - | 3 | 345/87.ccls. and image adj display and motionless and light and control and system | USPAT; EPO; JPO | 2003/09/08 11:31 |
| - | 1 | 345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect and transducer | USPAT; EPO; JPO | 2003/09/08 12:17 |
| - | 2 | 345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect | USPAT; EPO; JPO | 2003/09/08 12:13 |

| | | | | |
|---|-----|--|--------------------|---------------------|
| - | 0 | 345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect and transducer and inverter | USPAT; EPO; JPO | 2003/09/08 12:18 |
| - | 1 | 345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect and transducer and feedback | USPAT; EPO; JPO | 2003/09/08 12:18 |
| - | 1 | 345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect and transducer and feedback and inver\$4 | USPAT; EPO; JPO | 2003/09/08 12:18 |
| - | 14 | light and auto-adjust\$4 and system and image adj display and environment and back and lighting | USPAT; EPO; JPO | 2003/09/08 12:37 |
| - | 15 | light and auto-adjust\$4 and system and image and motion\$4 | USPAT; EPO; JPO | 2003/09/08 13:00 |
| - | 0 | auto\$5 adj adjust\$3 adj bac1 adj light\$3 adj system | USPAT; EPO; JPO | 2003/09/08 13:10 |
| - | 0 | auto\$5 adj adjust\$3 adj back adj light\$3 and system | USPAT; EPO; JPO | 2003/09/08 13:10 |
| - | 2 | auto\$5 adj adjust\$3 adj light\$3 and system | USPAT; EPO; JPO | 2003/09/08 13:50 |
| - | 0 | auto\$5 adj adjust\$3 adj lighting and system | USPAT; EPO; JPO | 2003/09/08 13:51 |
| - | 0 | auto\$5 adj adjust\$3 adj back adj lighting and system | USPAT; EPO; JPO | 2003/09/08 13:51 |
| - | 0 | auto\$5 adj adjust\$3 adj back adj light\$3 and system | USPAT; EPO; JPO | 2003/09/08 13:51 |
| - | 0 | auto\$5 adj adjust\$3 adj back adj light\$4 and system | USPAT; EPO; JPO | 2003/09/08 13:51 |
| - | 2 | auto\$5 adj adjust\$3 adj light\$3 and system | USPAT; EPO; JPO | 2003/09/08 13:52 |
| - | 0 | liquid adj crystal adj display and back adj light\$4 and control and transduc\$5 and inverter and feed adj back and photo adj album | USPAT; EPO; JPO | 2003/09/09 07:52 |
| - | 109 | 345/87.ccls. and back adj light\$3 | USPAT; EPO; JPO | 2003/09/09 07:53 |
| - | 0 | 345/87.ccls. and back adj light\$3 and photo adj album | USPAT; EPO; JPO | 2003/09/09 07:53 |
| - | 0 | back adj light\$3 and photo adj album | USPAT; EPO; JPO | 2003/09/09 07:53 |
| - | 386 | photo adj album | USPAT; EPO; JPO | 2003/09/09 07:53 |
| - | 193 | photo adj album and display | USPAT; EPO; JPO | 2003/09/09 07:54 |
| - | 0 | photo adj album and display and back adj lighting | USPAT; EPO; JPO | 2003/09/09 07:54 |
| - | 0 | photo adj album and display and back adj light\$4 | USPAT; EPO; JPO | 2003/09/09 07:54 |
| - | 0 | photo adj album and display and back adj light\$5 | USPAT; EPO; JPO | 2003/09/09 07:54 |
| - | 0 | photo adj album and display and illuminate\$3 | USPAT; EPO; JPO | 2003/09/09 07:55 |
| - | 19 | photo adj album and display and illuminate\$3 | USPAT; EPO; JPO | 2003/09/09 07:56 |
| - | 0 | light and auto-adjust\$4 and photo adj album | USPAT; EPO; JPO | 2003/09/09 07:56 |
| - | 0 | photo adj album and display and illuminate\$3 and auto adj adjusting | USPAT; EPO; JPO | 2003/09/09 07:56 |
| - | 12 | photo adj album and display and illuminate\$3 and auto\$5 and adjust\$5 | USPAT; EPO; JPO | 2003/09/09 07:58 |
| - | 1 | photo adj album and display and illuminate\$3 and auto\$5 and adjust\$5 and control and environment | USPAT; EPO; JPO | 2003/09/09 07:59 |

| | | | | |
|---|------|--|--------------------|---------------------|
| - | 12 | photo adj album and display and illuminate\$3 and auto\$5 and adjust\$5 and control | USPAT; EPO; JPO | 2003/09/09 08:08 |
| - | 0 | photo adj album adj display and illuminate\$3 and auto\$5 and adjust\$5 and control | USPAT; EPO; JPO | 2003/09/09 08:02 |
| - | 4 | photo adj album adj display | USPAT; EPO; JPO | 2003/09/09 08:04 |
| - | 0 | photo adj album adj display and illuminat\$4 | USPAT; EPO; JPO | 2003/09/09 08:04 |
| - | 1 | photo adj album and display and illuminate\$3 and auto\$5 and adjust\$5 and control and photosensor | USPAT; EPO; JPO | 2003/09/09 09:38 |
| - | 0 | photo adj album and display and illuminate\$3 and auto\$5 and adjust\$5 and control and photosensor and resistor | USPAT; EPO; JPO | 2003/09/09 08:09 |
| - | 0 | photo adj album and display and illuminate\$3 and auto\$5 and adjust\$5 and control and photosensor and diode | USPAT; EPO; JPO | 2003/09/09 08:09 |
| - | 3 | photo adj album and display and photosensor | USPAT; EPO; JPO | 2003/09/09 08:13 |
| - | 0 | photo adj album and display and photosensor and resistor | USPAT; EPO; JPO | 2003/09/09 08:14 |
| - | 0 | photo adj album and display and photosensor and resist\$4 | USPAT; EPO; JPO | 2003/09/09 08:14 |
| - | 5126 | photosensor and resist\$4 | USPAT; EPO; JPO | 2003/09/09 08:14 |
| - | 1787 | photosensor and resist\$4 and display | USPAT; EPO; JPO | 2003/09/09 08:15 |
| - | 2 | photosensor and resist\$4 and display and photo and album | USPAT; EPO; JPO | 2003/09/09 08:16 |
| - | 4 | photosensor adj resist\$4 and display | USPAT; EPO; JPO | 2003/09/09 08:16 |
| - | 1 | photo adj album and display and illuminate\$3 and auto\$5 and adjust\$5 and control and photosensor | USPAT; EPO; JPO | 2003/09/09 08:45 |
| - | 8 | image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and photosensor | USPAT; EPO; JPO | 2003/09/09 08:56 |
| - | 8 | image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and photosensor and resist\$5 | USPAT; EPO; JPO | 2003/09/09 09:06 |
| - | 0 | image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and photosensor\$1 adj resist\$5 | USPAT; EPO; JPO | 2003/09/09 09:06 |
| - | 8 | image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and photosensor\$1 and resist\$5 | USPAT; EPO; JPO | 2003/09/09 09:07 |
| - | 22 | photo adj album and illuminate\$3 | USPAT; EPO; JPO | 2003/09/09 09:45 |
| - | 12 | photo adj album and illuminate\$3 and auto\$5 and adjust\$5 and control | USPAT; EPO; JPO | 2003/09/09 09:41 |
| - | 0 | 345/87.ccls. and image adj display and motionless and back and light and control and system and inverter | USPAT; EPO; JPO | 2003/09/09 11:17 |
| - | 1 | image adj display and motionless and back and light and control and system and inverter | USPAT; EPO; JPO | 2003/09/09 11:18 |